

**Code : 101102**

**B.Tech 1st Semester Exam., 2019  
(New Course)**

**MATHEMATICS - I**

**( Calculus, Multivariable Calculus and  
Linear Algebra )**

**Time : 3 hours**

**Full Marks : 70**

**Instructions :**

- (i) The marks are indicated in the right-hand margin.
- (ii) There are **NINE** questions in this paper.
- (iii) Attempt **FIVE** questions in all.
- (iv) Question No. **1** is compulsory.

1. Answer/Choose the correct option of the following (any seven) :  $2 \times 7 = 14$

(a) At  $x = a$ , the function  $f(x)$  defined as

$$f(x) = \begin{cases} \frac{x^2}{a} - a, & 0 < x < a \\ 0, & x = a \\ a - \frac{a^3}{x^2}, & x > a \end{cases}$$

<http://www.akubihar.com>

has

- (i) continuity
  - (ii) mixed discontinuity
  - (iii) removable discontinuity
  - (iv) None of the above
- (b) Write the statement of Maclaurin's theorem with remainders.
- (c) In the expansion of  $\log \sin x$  in power of  $x - a$ , the coefficient of  $(x - a)^3$  is
- (i)  $2\operatorname{cosec}^2 a \cot a$
  - (ii)  $\frac{1}{3} \operatorname{cosec}^2 a \cot a$
  - (iii)  $\frac{2}{3} \operatorname{cosec}^2 a \cot a$
  - (iv) None of the above
- (d) The function  $e^x + 2\cos x + e^{-x}$  has minima at  $x =$
- (i)  $\pi$
  - (ii)  $\frac{\pi}{2}$
  - (iii) 0
  - (iv) None of the above

- (e) The radius of convergence of the power series

$$\sum \frac{(n!)^2 z^n}{(2n!)} \quad \alpha$$

is

- (i) 4
- (ii)  $1/4$
- (iii) 0
- (iv) None of the above

- (f) If the eigenvalue of the matrix

$$A = \begin{bmatrix} -2 & 2 & -3 \\ 2 & 1 & -6 \\ -1 & -2 & 0 \end{bmatrix}$$

is  $-3$ , then the eigenvalue of adj. A will be

- (i)  $-\frac{1}{3}$
- (ii)  $-\frac{1}{5}$
- (iii)  $-\frac{1}{15}$
- (iv)  $-3$

- (g) Write down the quadratic forms corresponding to the given matrix

$$A = \begin{bmatrix} 2 & 4 & 5 \\ 4 & 3 & 1 \\ 5 & 1 & 1 \end{bmatrix}$$

( Turn Over )

- (h) The dimension of the vector space of all real numbers  $\mathbb{R}$  over the field of rational numbers is

(i) 1

(ii) 2

(iii) 3

(iv) None of the above

- (i) Which of the following sets of vectors is a basis for  $\mathbb{R}^3$ ?

(1)  $\{(1, 2, 3), (3, 5, 7), (5, 8, 11)\}$

(2)  $\{(1, 0, 1), (0, 1, 0), (-1, 0, 1)\}$

(3)  $\{(1, 2, 3), (2, 3, 4), (2, 4, 6)\}$

(i) Only (1) and (2)

(ii) Only (2)

(iii) Only (1) and (3)

(iv) Only (1)

- (j) Define range and kernel of linear map.

2. (a) State and prove the Lagrange's mean value theorem.

7

- (b) Evaluate  $\lim_{x \rightarrow 0} (a^x + x)^{\frac{1}{x}}$ .

7

3. (a) Find the evolute of the hyperbola

$$\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$$

7

( 5 )

- (b) Expand  $\tan x$  in power of  $x - \frac{\pi}{4}$ . 7
4. (a) Find the volume of the solid generated by revolving an arc of the cycloid  $x = a(t - \sin t)$ ,  $y = a(1 - \cos t)$  and  $x$ -axis about the  $x$ -axis. 7
- (b) Evaluate the integral  $\int_0^1 (1 - x^3)^{-1/2} dx$ . 7
5. (a) Expand  $f(x) = |\cos x|$  as Fourier series in  $(-\pi, \pi)$ . http://www.akubihar.com 7
- (b) Show that  $\int_0^1 \frac{x^{m-1}(1-x)^{n-1}}{(a+x)^{m+n}} dx = \frac{\beta(m, n)}{a^n (1+a)^m}$  7
6. (a) Find the rank of the matrix  $\begin{bmatrix} 2 & 3 & -1 & -1 \\ 1 & -1 & -2 & -4 \\ 3 & 1 & 3 & -2 \\ 6 & 3 & 0 & -7 \end{bmatrix}$  7

(b) Find the characteristic equation of the matrix

$$A = \begin{bmatrix} 2 & 1 & 1 \\ 0 & 1 & 0 \\ 1 & 1 & 2 \end{bmatrix}$$

and, hence, find the matrix represented by

$$A^8 - 5A^7 + 7A^6 - 3A^5 + A^4 - 5A^3 + 8A^2 - 2A + I \quad 7$$

( 6 )

7. (a) State and prove Cayley-Hamilton theorem. 7
- (b) Reduce the quadratic form  $3x^2 + 5y^2 + 3z^2 - 2xy - 2yz + 2zx$  to canonical forms. 7
8. (a) Let  $V$  be the set of all ordered  $(x, y)$ , where  $x, y$  are real numbers. Let  $a = (x_1, y_1)$  and  $b = (x_2, y_2)$  be two elements in  $V$ . Define the addition as  $a + b = (x_1, y_1) + (x_2, y_2) = (x_1 x_2, y_1 y_2)$  and the scalar multiplication as  $\alpha(x_1, y_1) = (\alpha x_1, \alpha y_1)$ . Check whether  $V$  is a vector space or not. Explain the region. 7
- (b) Let  $U$  and  $V$  be two vector spaces in  $\mathbb{R}^3$ . Let  $T: U \rightarrow V$  be a linear transformation defined by

$$T \begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} x+z \\ x+y \\ x+y+z \end{pmatrix}$$

Find the matrix representation of  $T$  with respect to the ordered basis

$$X = \left\{ \begin{pmatrix} -1 \\ 1 \\ 1 \end{pmatrix}, \begin{pmatrix} 1 \\ -1 \\ 1 \end{pmatrix}, \begin{pmatrix} 1 \\ 1 \\ -1 \end{pmatrix} \right\}$$

in  $U$  and

$$Y = \left\{ \begin{pmatrix} 1 \\ -1 \\ -1 \end{pmatrix}, \begin{pmatrix} -1 \\ 1 \\ -1 \end{pmatrix}, \begin{pmatrix} -1 \\ -1 \\ 1 \end{pmatrix} \right\}$$

in  $V$ .

7

9. (a) Let  $T$  be a linear transformation from  $\mathbb{R}^3$  into  $\mathbb{R}^2$ , where  $Tx = Ax$ ,  $A = \begin{bmatrix} 1 & 1 & 0 \\ -1 & 0 & 1 \end{bmatrix}$  and  $x = (x \ y \ z)^T$ . Find  $\text{Ker}(T)$ ,  $\text{ran}(T)$  and their dimensions.

8

- (b) If  $(x, y, z)$  is a basis of  $\mathbb{R}^3$  where  $\mathbb{R}$  is the set of real numbers, then show that  $(x+y, y+z, z+x)$  is also a basis of  $\mathbb{R}^3$ . 6

\*\*\*