## Code: 221101

## B.Tech 1st Semester Exam., 2017

## PHYSICS

Time . 3 hours

Full Marks: 70

## Instructions •

- (i) The marks are indicated in the right-hand margin.
- (ii) There are **NINE** questions in this paper.
- (iii) Attempt FIVE questions in all.
- (iii) Question No. 1 is compulsory.
- (v) Symbols used (if any) have their usual meaning.
- 1. Answer any scren questions :

 $2 \times 7 = 14$ 

- Write down Maxwell's equations in integral forms.
  - Define Gauss' law in dielectrics.
  - Write down the expression for the resultant intensity due to double-slit Fraunhofer diffraction.
  - (d) What do you mean by stimulated emission of radiation?
  - Define Brewster's law.
  - What do you mean by circularly polarized light?

What is the physical significance of wave function?

- Schrödinger's Write down time dependent wave equation in one dimension.
- State fundamental postulates of the special theory of relativity.
- Write down any two properties of carbon nanotubes.
- What are nanomaterials? List the - methods used to prepare nanomaterials. Describe any one method used for the synthesis of nanomaterials.
  - What is Compton effect? Derive an expression for Compton wavelength. 2+4=6
- 3. What do you mean by population inversion? How is it achieved by optical pumping? Describe the construction and working principle of helium-neon laser. 2+2+10=14
- 4. Describe Michelson-Morley experiment with the help of neat diagram. Derive an expression for the fringe shift in Michelson-Morley experiment. Discuss its negative 5+5+4=14 result.

8AK/7

(Continued)

8AK/7 www.akubihar.com

www.akubihar.com

( Turn Over ) www.akubihar.com

www.akubihar.com

www.akubihar.com

- 3 )
- 5. Using Maxwell's equations, deduce the equation of continuity. Also prove that electromagnetic waves travel with the speed 6+8=14 of light in vacuum.
- 6. Solve the Schrödinger's wave equation for one-dimensional motion of a particle in a box of length L. Also show that the normalized wave function for such particle is given by

$$\Psi_n = \sqrt{\frac{2}{L}} \sin \frac{m\pi x}{L},$$

where n = 1, 2, 3, ...

10+4-14


www.akubihar.com

www.akubihar.com

- 7. Write short notes on the following:
  - Missing orders in Fraunhofer's doubleslit diffraction pattern
  - (b) Fraunhofer's diffraction pattern in single-slit (Derivation not required)
  - Effect of increasing the slit width and the distance between the double-slit Fraunhofer's diffraction pattern
- 8. Explain plane of polarization and plane of vibration. Describe how, plane polarized, circularly polarized and elliptically polarized lights are produced and detected. 4+10=14

A metre stick makes an angle of 30° with respect to the x axis of O. What must be the value of velocity (v) if the metre stick makes an angle of 45" with respect to the x-axis of O?

Which of the following cannot have physical significance in the interval shown? Why not?



Find the stored energy in a system of four identical charges  $Q \approx 4 \text{ nC}$ , at the corners of a square 1 m on a side. What is the stored energy in the system when only two charges are in place?

www.akubihar.com

( Turn Over ) www.akubihar.com www.akubihar.com

8AK-4170/7

www.akubihar.com

Code: 221101

www.akubihar.com

www.akubihar.com

www.akubihar.com

6